



POLITECHNIKA WARSZAWSKA
WYDZIAŁ GEODEZJI I KARTOGRAFII

Plac Politechniki 1, p. 302, 00-661 Warszawa, www.gik.pw.edu.pl
tel. (22) 234 72 23, e-mail: dziekan@gik.pw.edu.pl



Warszawa, 24.09.2015 r.

Sz. Pan

Prof. dr hab. inż. Piotr Tatjewski

Prodziekan ds. Nauki

Wydział Elektroniki i Technik Informacyjnych
w miejscu

Z A P R O S Z E N I E

Serdecznie zapraszamy zainteresowanych pracowników Wydziału Elektroniki i Technik Informacyjnych na otwarte seminarium naukowe Wydziału Geodezji i Kartografii Politechniki Warszawskiej, na którym referat wygłosi Pan prof. **Ulrich Schreiber** z Geodezyjnego Obserwatorium w Wettzell (Technische Universität München).

Seminarium odbędzie się w dniu **8 października 2015 r. o godz. 14.15** w sali 206 w Gmachu Głównym Politechniki Warszawskiej.

Tytuł referatu:

**“Variations of Earth Rotation from Ring Laser Gyroscopes:
One Hundred Years of Rotation sensing with Optical Interferometry”.**

W załączeniu zarys tematyki wystąpienia.

Z poważaniem

Prodziekan ds. Nauki i Rozwoju
dr hab. inż. Dariusz Gotlib, prof. PW

Variations of Earth Rotation from Ring Laser Gyroscopes: One Hundred Years of Rotation sensing with Optical Interferometry

Ulrich Schreiber
Technische Universität München
Forschungsrichtung Satellitengeodäsie
Geodetic Observatory Wettzell
93444 Bad Koetzing, Germany

ulrich.schreiber@bv.tum.de
schreiber@fs.wettzell.de



Earth Rotation and Orientation are providing the link between the terrestrial (ITRF) and celestial reference frames (ICRF). Traditionally the Earth orientation parameters (EOPs) are observed by radio interferometry. The fixed positions of the quasars, along with measurement redundancy of a sufficiently large network, provide the long-term stability of the observations. For the short-term and the access to the instantaneous rotation axis of the Earth, VLBI is depending on suitable models, which still have some deficiencies. Optical interferometric rotation sensing with ring lasers in contrast provide direct access to the Earth rotation axis, a high resolution in the short-term, but are suffering from tiny non-reciprocal laser behavior causing drift in the long-term.

Now, one hundred years after George Sagnac's important paper published in *Comptes Rendus* in 1913 the tools of modern quantum optics have matured to a point where they make ring lasers more than 12 orders of magnitude more sensitive than the early instrumentation in this field. The single component prototype ring laser G in Wettzell now resolves rotation rates of 10^{-12} rad/s after one hour of integration and has demonstrated an impressive sensor stability over several month. This is in particular unique since we use a single local sensor to establish a global quantity.

The combination of VLBI and ring laser measurements offers an improved sensitivity for the EOPs in the short-term and the direct access to the Earth rotation axis. At the same time the progress in controlling the backscatter coupling in ring lasers has succeeded to reach the domain of 3 parts per billion for the relative uncertainty of the measured Earth rotation. Since the Earth itself represents the turntable for our interferometer we can also study dynamic processes on the Earth itself. This talk explores the prospects of optical Sagnac Interferometry in Geodesy and Geophysics at the Centennial of the Sagnac effect.